Session ID:
Server:
Username: t120
Display:
Creation time:
Status: connecting
☐ Show details

t120
KDE on 120.76.200.193

Login: t120
Password: |

Ok   Cancel

t120
KDE on 120.76.200.193

Login: t120
Password: ●●●●●●●●●|

Ok   Cancel

Session ID:
Server:
Username: t120
Display:
Creation time:
Status: connecting
☐ Show details

Select session:

Display	Status	Command
51	running	KDE

Suspend

Terminate

New

Resume   Cancel

Session ID: t120-51-1522552739_stDKDE_dp32
Server: 120.76.200.193
Username: t120
Display: 51
Creation time: 周日 4月 1 11:19:03 2018
Status: Finished
☐ Show details

No new window appears, and then Exited

Setting

Session	Connection	Input/Output	Media	Shared folders

Session name: t120

<< change icon

Path: /   ...

Server

Host: 120.76.200.193

Login: t120

SSH port: 22

Use RSA/DSA key for ssh connection:

☐ Try auto login (via SSH Agent or default SSH key)

☐ Kerberos 5 (GSSAPI) authentication

☐ Delegation of GSSAPI credentials to the server

☐ Use Proxy server for SSH connection

Session type

KDE ▼   Command:

Connection speed

MODEM   ISDN   ADSL   WAN   LAN

Compression

Method: 16m-jpeg   ▼

Image quality: 9

| Session | Connection | Input/Output | Media | Shared folders |

Sound

☑ Enable sound support
◉ PulseAudio
○ esd

☑ Use SSH port forwarding to tunnel sound system connections through firewalls

☑ Client side printing support

| Session | Connection | Input/Output | Media | Shared folders |

Folders

Path: [   ] 🗀 [Add]

Path	Automount

[Delete]

☐ Filename encoding local: WINDOWS-1252 ▾ remote: UTF-8 ▾

☑ Use SSH port forwarding to tunnel file system connections through firewalls

| Session | Connection | Input/Output | Media | Shared folders |

Display

○ Fullscreen

◉ Custom   Width: 800   Height: 600

○ Maximum available

☑ Set display DPI   96

☐ Xinerama extension (support for two or more physical displays)

Clipboard mode

◉ Bidirectional copy and paste

○ Copy and paste from client to server

○ Copy and paste from server to client

○ Disable clipboard completely

Keyboard

◉ Auto-detect keyboard settings

○ Do not configure keyboard

○ Configure keyboard